EAST Search History

EAST Search History (Prior Art)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|--|---|---------------------|---------|---------------------|
| S42 | 441 | (gateway (proxy NEAR2 server)) WITH via WITH notification | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 13:24 |
| S43 | 92 | S42 AND ((secur\$3 authenticat\$3) WITH connection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 13:24 |
| S44 | 1 | S43 AND (unauthenticat \$3 WITH connection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 13:25 |
| S45 | 4 | S43 AND (unencrypt\$3 WITH connection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 13:28 |
| S46 | 132 | encrypt\$3)) SAME detect\$3 SAME (initiat | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 14:41 |
| S47 | 9 | OR (unencrypt\$3 SAME encrypt\$3)) WITH connection) SAME | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 14:42 |
| S48 | 53 | (initiat\$3 creat\$3 establish\$3) WITH ((unauthenticat\$3 unencrypt\$3) NEAR5 connection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 16:59 |

| S49 | 20 | S48 AND (gateway (proxy NEAR2 server)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 17:09 |
|-----|--------|---|---|----|-----|---------------------|
| S50 | 6 | (unauthenticat\$3 SAME unencrypt\$3 SAME connection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 18:14 |
| S51 | 5 | (unauthenticat\$3 SAME unencrypt\$3 SAME protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 18:37 |
| S52 | 47 | (unauthenticat\$3 WITH notif\$7) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 18:40 |
| S53 | 91 | (initiat\$3 creat\$3 establish\$3) WITH (TCP/IP NEAR2 connection) WITH (gateway (proxy NEAR2 server)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 18:54 |
| S54 | 16 | (initiat\$3 creat\$3 establish\$3) WITH (TCP/IP NEAR2 connection) WITH (gateway (proxy NEAR2 server)) SAME authenticat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 19:08 |
| S55 | 132803 | 707/9,10.ccls. OR "709"/\$.ccls. OR "713"/ \$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/16 20:02 |
| S56 | 9 | S55 AND ((initiat\$3 creat\$3 establish\$3) WITH ((unauthenticat \$3 unencrypt\$3) NEAR5 connection)) AND (gateway (proxy NEAR2 server)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 20:04 |

| S57 | 52 | S55 AND (initiat\$3 creat | US-PGPUB; | OR | OFF | 2009/11/16 |
|-----|----|---------------------------|-------------|----|-----|------------|
| | | \$3 establish\$3) WITH | USPAT; | | | 20:08 |
| | | (TCP/IP NEAR2 | USOCR; EPO; | | | |
| | | connection) WITH | JPO; | | | |
| | | (gateway (proxy | DERWENT; | | | |
| | | NEAR2 server)) | IBM_TDB | | | |

11/16/2009 9:22:19 PM

 $\textbf{C:} \ \, \textbf{Documents and Settings:} \ \, \textbf{bvu1.USPTO:} \ \, \textbf{My Documents:} \ \, \textbf{EAST:} \ \, \textbf{Workspaces:} \ \, \textbf{10594124.wsp}$